



# SPEC® CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

SPECfp®\_rate2006 = 131

PowerEdge M905 (AMD Opteron 8347 HE, 1.9 GHz)

SPECfp\_rate\_base2006 = 120

CPU2006 license: 55


Test date: Jul-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008



SPECfp\_rate\_base2006 = 120

SPECfp\_rate2006 = 131

### Hardware

CPU Name: AMD Opteron 8347 HE  
 CPU Characteristics:  
 CPU MHz: 1900  
 FPU: Integrated  
 CPU(s) enabled: 16 cores, 4 chips, 4 cores/chip  
 CPU(s) orderable: 4 chips  
 Primary Cache: 64 KB I + 64 KB D on chip per core  
 Secondary Cache: 512 KB I+D on chip per core

Continued on next page

### Software

Operating System: SUSE Linux Enterprise Server 10 (x86\_64) SP2, Kernel 2.6.16-60.0.21-smp  
 Compiler: PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.1  
 Auto Parallel: No  
 File System: ReiserFS  
 System State: Run level 3 (multi-user)  
 Base Pointers: 64-bit  
 Peak Pointers: 32/64-bit

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

SPECfp\_rate2006 = 131

PowerEdge M905 (AMD Opteron 8347 HE, 1.9 GHz)

SPECfp\_rate\_base2006 = 120

CPU2006 license: 55

Test date: Jul-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

L3 Cache: 2 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 32 GB (16 x 2 GB, DDR2-667, CL5, Reg, Dual Rank)  
 Disk Subsystem: 1 x 36 GB SAS 15000 RPM (OS), 1 x 73 GB SAS 10000 RPM (CPU2006)  
 Other Hardware: None

Other Software: None

## Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	16	<b><u>2378</u></b>	<b><u>91.4</u></b>	2370	91.8	2378	91.4	16	2329	93.4	2259	96.3	<b><u>2327</u></b>	<b><u>93.4</u></b>		
416.gamess	16	1677	187	1671	187	<b><u>1672</u></b>	<b><u>187</u></b>	16	1540	203	<b><u>1566</u></b>	<b><u>200</u></b>	1575	199		
433.milc	16	<b><u>1796</u></b>	<b><u>81.8</u></b>	1797	81.8	1794	81.9	16	<b><u>1749</u></b>	<b><u>84.0</u></b>	1753	83.8	1743	84.3		
434.zeusmp	16	<b><u>1036</u></b>	<b><u>141</u></b>	1033	141	1041	140	16	1025	142	<b><u>1033</u></b>	<b><u>141</u></b>	1040	140		
435.gromacs	16	805	142	<b><u>803</u></b>	<b><u>142</u></b>	803	142	16	652	175	<b><u>652</u></b>	<b><u>175</u></b>	652	175		
436.cactusADM	16	<b><u>1362</u></b>	<b><u>140</u></b>	1340	143	1363	140	16	1302	147	1308	146	<b><u>1305</u></b>	<b><u>146</u></b>		
437.leslie3d	16	<b><u>2174</u></b>	<b><u>69.2</u></b>	2195	68.5	2172	69.2	16	2009	74.9	<b><u>1999</u></b>	<b><u>75.2</u></b>	1995	75.4		
444.namd	16	914	140	912	141	<b><u>913</u></b>	<b><u>141</u></b>	16	806	159	803	160	<b><u>805</u></b>	<b><u>159</u></b>		
447.dealII	16	<b><u>1086</u></b>	<b><u>169</u></b>	1068	171	1107	165	16	713	257	<b><u>714</u></b>	<b><u>256</u></b>	716	256		
450.soplex	16	1631	81.8	1618	82.5	<b><u>1619</u></b>	<b><u>82.4</u></b>	16	1605	83.2	1578	84.6	<b><u>1580</u></b>	<b><u>84.5</u></b>		
453.povray	16	<b><u>450</u></b>	<b><u>189</u></b>	449	190	450	189	16	375	227	374	228	<b><u>374</u></b>	<b><u>228</u></b>		
454.calculix	16	711	186	713	185	<b><u>712</u></b>	<b><u>185</u></b>	16	709	186	<b><u>710</u></b>	<b><u>186</u></b>	712	185		
459.GemsFDTD	16	2418	70.2	2418	70.2	<b><u>2418</u></b>	<b><u>70.2</u></b>	16	2246	75.6	2239	75.8	<b><u>2240</u></b>	<b><u>75.8</u></b>		
465.tonto	16	1001	157	<b><u>1002</u></b>	<b><u>157</u></b>	1005	157	16	872	181	876	180	<b><u>874</u></b>	<b><u>180</u></b>		
470.lbm	16	2769	79.4	2791	78.8	<b><u>2784</u></b>	<b><u>79.0</u></b>	16	2706	81.2	2708	81.2	<b><u>2707</u></b>	<b><u>81.2</u></b>		
481.wrf	16	<b><u>1356</u></b>	<b><u>132</u></b>	1349	132	1361	131	16	1383	129	1369	131	<b><u>1372</u></b>	<b><u>130</u></b>		
482.sphinx3	16	2937	106	<b><u>2943</u></b>	<b><u>106</u></b>	2945	106	16	<b><u>2700</u></b>	<b><u>115</u></b>	2694	116	2703	115		

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Operating System Notes

'numactl' was used to bind copies to the cores  
 Environment variable PGI\_HUGE\_PAGES set to 150  
 'ulimit -s unlimited' was used to set environment stack size  
 'ulimit -l 4915200' was used to set environment locked pages in memory quantity  
 Set vm/nr\_hugepages=2400 in /etc/sysctl.conf  
 mount -t hugetlbfs nodev /mnt/hugepages

## Base Compiler Invocation

C benchmarks:  
pgcc

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

SPECfp\_rate2006 = 131

PowerEdge M905 (AMD Opteron 8347 HE, 1.9 GHz)

SPECfp\_rate\_base2006 = 120

CPU2006 license: 55

Test date: Jul-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Base Compiler Invocation (Continued)

C++ benchmarks:

pgcpp

Fortran benchmarks:

pgf95

Benchmarks using both Fortran and C:

pgcc pgf95

## Base Portability Flags

```
410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64
```

## Base Optimization Flags

C benchmarks:

```
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
-tp barcelona-64 -Bstatic_pgi
```

C++ benchmarks:

```
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
--zc_eh -tp barcelona-64 -Bstatic_pgi
```

Fortran benchmarks:

```
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
-tp barcelona-64 -Bstatic_pgi
```

Benchmarks using both Fortran and C:

```
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
-tp barcelona-64 -Bstatic_pgi
```



# SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

SPECfp\_rate2006 = 131

PowerEdge M905 (AMD Opteron 8347 HE, 1.9 GHz)

SPECfp\_rate\_base2006 = 120

CPU2006 license: 55

Test date: Jul-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Base Other Flags

C benchmarks:  
-w -Mipa=jobs:4

C++ benchmarks:  
-w -Mipa=jobs:4

Fortran benchmarks:  
-w -Mipa=jobs:4

Benchmarks using both Fortran and C:  
-w -Mipa=jobs:4

## Peak Compiler Invocation

C benchmarks (except as noted below):  
pathcc

433.milc: pgcc

C++ benchmarks (except as noted below):  
pathCC

444.namd: pgcpp

Fortran benchmarks (except as noted below):  
pathf95

410.bwaves: pgf95

434.zeusmp: pgf95

Benchmarks using both Fortran and C (except as noted below):  
pgcc pgf95

436.cactusADM: pathcc pathf95

481.wrf: pathcc pathf95

## Peak Portability Flags

410.bwaves: -DSPEC\_CPU\_LP64  
416.gamess: -DSPEC\_CPU\_LP64  
433.milc: -DSPEC\_CPU\_LP64  
434.zeusmp: -DSPEC\_CPU\_LP64  
435.gromacs: -DSPEC\_CPU\_LP64 -Mnomain

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

SPECfp\_rate2006 = 131

PowerEdge M905 (AMD Opteron 8347 HE, 1.9 GHz)

SPECfp\_rate\_base2006 = 120

CPU2006 license: 55

Test date: Jul-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Peak Portability Flags (Continued)

```

436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX -fno-second-underscore
482.sphinx3: -DSPEC_CPU_LP64

```

## Peak Optimization Flags

C benchmarks:

```

433.milc: -fastsse -Msmartalloc=huge:150 -Msafeptr -Mfprelaxed
-Mipa=inline -Mipa=arg -Mipa=const -Mipa=ptr -Mipa=shape
-tp barcelona-64 -Bstatic_pgi

```

```

470.lbm: -march=barcelona -Ofast -m3dnow

```

```

482.sphinx3: -march=barcelona -Ofast

```

C++ benchmarks:

```

444.namd: -Mphi(pass 1) -Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mpfo(pass 2) -fast -Mfprelaxed -Msmartalloc=huge:150
--zc_eh -Mnodepchk -Munroll=n:4 -Munroll=m:8
-tp barcelona-64 -Bstatic_pgi

```

```

447.deallI: -march=barcelona -Ofast -static -INLINE:aggressive=on
-OPT:malloc_alg=1 -m32 -fno-exceptions

```

```

450.soplex: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -m32 -O3 -TENV:frame_pointer=off
-LNO:prefetch=1

```

```

453.povray: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -CG:load_exe=0

```

Fortran benchmarks:

```

410.bwaves: -Mphi(pass 1) -Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mpfo(pass 2) -fastsse -Mfprelaxed -Msmartalloc
-Mprefetch=distance:12 -Mprefetch=nta -tp barcelona-64
-Bstatic_pgi

```

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

SPECfp\_rate2006 = 131

PowerEdge M905 (AMD Opteron 8347 HE, 1.9 GHz)

SPECfp\_rate\_base2006 = 120

CPU2006 license: 55

Test date: Jul-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Peak Optimization Flags (Continued)

416.gamess: -march=barcelona -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -O2 -OPT:Ofast -OPT:ro=3  
-OPT:unroll\_size=256

434.zeusmp: -fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=fast  
-Mipa=inline -tp barcelona-64 -Bstatic\_pgi

437.leslie3d: -march=barcelona -Ofast -m3dnow -OPT:unroll\_size=256  
-CG:load\_exe=0 -OPT:malloc\_alg=1

459.GemsFDTD: -march=barcelona -Ofast -LNO:fission=2 -LNO:simd=2  
-OPT:malloc\_alg=1

465.tonto: -march=barcelona -Ofast -OPT:malloc\_alg=1  
-OPT:alias=no\_f90\_pointer\_alias -LNO:blocking=off  
-CG:load\_exe=1 -IPA:plimit=525

Benchmarks using both Fortran and C:

435.gromacs: -fast -Mfpapprox=rsqrt -Mipa=fast -Mipa=inline -Mfprelaxed  
-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic\_pgi

436.cactusADM: -march=barcelona -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -Ofast -WOPT:aggstr=0

454.calculix: -fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=fast  
-Mipa=inline -tp barcelona-64 -Bstatic\_pgi

481.wrf: -march=barcelona -Ofast -LNO:blocking=off  
-LNO:prefetch\_ahead=10 -OPT:malloc\_alg=1 -m3dnow  
-LANG:copyinout=off -IPA:callee\_limit=5000

## Peak Other Flags

C benchmarks:

433.milc: -w -Mipa=jobs:4

C++ benchmarks:

444.namd: -w -Mipa=jobs:4(pass 2)

Fortran benchmarks:

410.bwaves: -w -Mipa=jobs:4(pass 2)

434.zeusmp: -w -Mipa=jobs:4

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

SPECfp\_rate2006 = 131

PowerEdge M905 (AMD Opteron 8347 HE, 1.9 GHz)

SPECfp\_rate\_base2006 = 120

CPU2006 license: 55

Test date: Jul-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Peak Other Flags (Continued)

Benchmarks using both Fortran and C:

435.gromacs: -w -Mipa=jobs:4

454.calculix: -w -Mipa=jobs:4

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.  
Report generated on Tue Sep 13 11:39:12 2016 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 2 September 2008.