



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850GB motherboard (1.3 GHz, Pentium 4 processor)

SPECint2000 = 486

SPECint_base2000 = 475

SPEC license #: 13 Tested by: Intel Corporation Test date: Aug-2001 Hardware Avail: Jan-2001 Software Avail: Jun-2001

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
164.gzip	1400	293	477	297	472	
175.vpr	1400	509	275	479	292	
176.gcc	1100	205	538	204	539	
181.mcf	1800	387	465	386	466	
186.crafty	1000	234	427	232	432	
197.parser	1800	410	439	410	439	
252.eon	1300	219	593	188	693	
253.perlbnk	1800	288	624	289	623	
254.gap	1100	173	636	170	646	
255.vortex	1900	298	638	284	668	
256.bzip2	1500	379	396	374	401	
300.twolf	3000	839	358	838	358	

Hardware

CPU: Pentium 4 processor (1.3 GHz, 400 MHz bus)
CPU MHz: 1300
FPU: Integrated
CPU(s) enabled: 1 core, 1 chip, 1 core/chip
CPU(s) orderable: 1
Parallel: No
Primary Cache: 12k micro-ops I + 8KBD on chip
Secondary Cache: 256KB(I+D) on chip
L3 Cache: N/A
Other Cache: N/A
Memory: 256 MB (2 128 MB PC800 RDRAM non-ECC modules)
Disk Subsystem: IBM DTLA-307030 ATA-100
Other Hardware: None

Software

Operating System: Windows 2000(Build 2195, SP2)
Compiler: Intel C++ Compiler 5.0.1 Build 010525Z
Microsoft Visual C++ 6.0 SP5(for libraries)
MicroQuill SmartHeap library V6.0
File System: FAT32
System State: Default

Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -QxW -Qipo shlw32M.lib +FDO
Base tuning for C++ programs: -QxW -Qipo -GX -GR
shlw32M.lib is the SmartHeap library V6.0 from MicroQuill www.microquill.com
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: -QxW -Qipo -Oa shlw32M.lib +FDO
175.vpr: -QxW -Qwp_ipo +FDO
176.gcc: -QxW -Qipo shlw32M.lib +FDO
181.mcf: -QxW -Qipo shlw32M.lib +FDO
186.crafty: -QxW -Qipo -Oa shlw32M.lib +FDO
197.parser: -QxW -Qipo shlw32M.lib +FDO
252.eon: -QxW -Qipo +FDO
253.perlbnk: -QxW -Qipo shlw32M.lib +FDO
254.gap: -QxW -Qipo +FDO
255.vortex -QxW -Qwp_ipo -Oa shlw32M.lib +FDO
```



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850GB motherboard (1.3 GHz, Pentium 4 processor)

SPECint2000 = 486

SPECint_base2000 = 475

SPEC license #: 13 | Tested by: Intel Corporation | Test date: Aug-2001 | Hardware Avail: Jan-2001 | Software Avail: Jun-2001

Notes/Tuning Information (Continued)

256.bzip2: -QxW -Qipo -Oa +FDO

300.twolf: -QxW -Qipo shlw32M.lib +FDO

Tested systems can be used with Shin-G ATX case, Delta Inc. power supply PS-300GB-1 B

Product description located as of 11/2000:

http://developer.intel.com/design/motherbd/gb/gb_ds.htm

Motherboard is available through Intel OEM Distribution Channel. See

<http://channel.intel.com/business/ibp/boards/d850gb.htm> for more information

The system bus runs at 400 MHz