



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850MD motherboard (1.5 GHz, Pentium 4 processor)

SPECfp2000 = 616

SPECfp_base2000 = 605

SPEC license #: 13 Tested by: Intel Corporation Test date: Nov-2001 Hardware Avail: Aug-2001 Software Avail: Oct-2001

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	204	783	202	792	
171.swim	3100	250	1239	247	1256	
172.mgrid	1800	310	581	296	608	
173.applu	2100	307	684	300	699	
177.mesa	1400	226	619	225	621	
178.galgel	2900	373	777	367	791	
179.art	2600	502	518	491	529	
183.quake	1300	185	703	175	742	
187.facerec	1900	279	681	278	683	
188.amp	2200	612	359	604	364	
189.lucas	2000	237	843	237	843	
191.fma3d	2100	410	512	409	513	
200.sixtrack	1100	398	276	383	287	
301.apsi	2600	583	446	582	446	

Hardware

CPU: Pentium 4 processor (1.5 GHz, 400 MHz bus)
 CPU MHz: 1500
 FPU: Integrated
 CPU(s) enabled: 1 core, 1 chip, 1 core/chip
 CPU(s) orderable: 1
 Parallel: No
 Primary Cache: 12k micro-ops I + 8KBD on chip
 Secondary Cache: 256KB(I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 256 MB (2 128 MB PC800 RDRAM non-ECC modules)
 Disk Subsystem: IBM DTLA-307030 ATA-100
 Other Hardware: None

Software

Operating System: Windows XP Professional(Build 2600)
 Compiler: Intel C++ Compiler 5.0.1 Build 010525Z
 Intel Fortran Compiler 5.0.1 Build 010525Z
 Microsoft Visual C++ 6.0 SP5(for libraries)
 File System: FAT32
 System State: Default

Notes/Tuning Information

```
+FDO: PASS1= -Qprof_gen PASS2=-Qprof_use
Base tuning: -Qipo -QxW -O3 +FDO
Portability:
178.galgel: -FI /F32000000
Peak tuning:
168.wupwise: -Qipo -QxW -O3 +FDO
171.swim: -Qipo -QxW -O3 +FDO
172.mgrid: -Qipo -QaxW -O3 +FDO
173.applu: -Qipo -QxW -O3 -Qscalar_rep- -Qauto +FDO
177.mesa: -Qipo -Oa -QxW -O3 +FDO
178.galgel: -Qipo -QxW -O3 +FDO
179.art: -Qipo -QxW -O3 -Oa +FDO
183.quake: -Qipo -QxW -Oa -Qrcd +FDO
187.facerec: -Qipo -QxW -O3 +FDO
188.amp: -Qipo -QxW -O3 -Oa +FDO
189.lucas: -Qipo -QxW -O3 +FDO
191.fma3d: -Qipo -QxW -O3 +FDO
```



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850MD motherboard (1.5 GHz, Pentium 4 processor)

SPECfp2000 = 616

SPECfp_base2000 = 605

SPEC license #: 13 | Tested by: Intel Corporation | Test date: Nov-2001 | Hardware Avail: Aug-2001 | Software Avail: Oct-2001

Notes/Tuning Information (Continued)

200.sixtrack: -Qipo -QxW +FDO

301.apsi: -Qipo -QxW -O3 +FDO

Tested systems can be used with Shin-G ATX case, Delta Inc. power supply PS-300GB-1 B

Product description located as of 1/2002:

<http://developer.intel.com/design/motherbd/md/index.htm>

Motherboard ordering information is available at:

<http://program.intel.com/shared/products/boards/D850MD/index.htm>

The system bus runs at 400 MHz