



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

**Dell**  
Precision Workstation 650 (2.80 GHz Xeon, 1MB L3 Cache)

SPECfp\_rate2000 = 18.0  
SPECfp\_rate\_base2000 = 18.0

SPEC license #: 55 | Tested by: Dell Inc., Round Rock, TX | Test date: Jan-2004 | Hardware Avail: Feb-2004 | Software Avail: Dec-2003

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	2	125	29.8	2	125	29.8
171.swim	2	394	18.2	2	394	18.2
172.mgrid	2	267	15.6	2	267	15.6
173.applu	2	356	13.7	2	353	13.8
177.mesa	2	115	28.3	2	117	27.8
178.galgel	2	233	28.9	2	233	28.9
179.art	2	618	9.77	2	587	10.3
183.quake	2	165	18.3	2	165	18.3
187.facerec	2	174	25.4	2	173	25.4
188.amp	2	335	15.2	2	335	15.2
189.lucas	2	303	15.3	2	303	15.3
191.fma3d	2	270	18.0	2	270	18.0
200.sixtrack	2	207	12.3	2	207	12.3
301.apsi	2	371	16.2	2	371	16.2

### Hardware

CPU: Intel Xeon (533 MHz system bus)  
 CPU MHz: 2800  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip (Hyper-Threading Technology disabled)  
 CPU(s) orderable: 2  
 Parallel: No  
 Primary Cache: 12K(I) micro-ops + 8KB(D) on chip  
 Secondary Cache: 512KB(I+D) on chip  
 L3 Cache: 1024KB(I+D) on chip  
 Other Cache: N/A  
 Memory: 4 x 512MB ECC CL2-2-2 PC2100 DDR SDRAM  
 Disk Subsystem: 1 x 18GB U320 SCSI, 10K RPM  
 Other Hardware:

### Software

Operating System: Windows XP Professional SP1  
 Compiler: Intel C/C++ Compiler 8.0 (20031229Z)  
 Intel Fortran Compiler 8.0 (20031229Z)  
 Microsoft Visual Studio .NET (7.0.9466)  
 File System: NTFS  
 System State: Default

## Notes/Tuning Information

### PORTABILITY

178.galgel: -FI /F32000000

### FEEDBACK DIRECTED OPTIMIZATION

ONESTEP=YES

FDO: PASS1= -Qprof\_gen PASS2=-Qprof\_use

### BASE TUNING

C/F77/F90: -QxN -Qipo -O3 +FDO

### PEAK TUNING

168.wupwise: basepeak=yes

171.swim: basepeak=yes

172.mgrid: basepeak=yes

173.applu: -QxN -Qipo -O3 -Qscalar\_rep- -Qauto +FDO

177.mesa: -QxN -Qipo -O3 -Oa +FDO

178.galgel: basepeak=yes

179.art: -Qipo -Oa -Qunroll4 -Zp4

183.quake: -QxN -Qipo -O3 -Oa -Qrcd +FDO

187.facerec: -QaxN -Qipo -O3 -Qunroll1 -Qscalar\_rep- +FDO



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell

Precision Workstation 650 (2.80 GHz Xeon, 1MB L3 Cache)

SPECfp\_rate2000 = 18.0

SPECfp\_rate\_base2000 = 18.0

SPEC license #: 55 | Tested by: Dell Inc., Round Rock, TX | Test date: Jan-2004 | Hardware Avail: Feb-2004 | Software Avail: Dec-2003

## Notes/Tuning Information (Continued)

188. ammp: basepeak=yes  
189. lucas: -QaxN -Qipo -O3  
191. fma3d: basepeak=yes  
200. sixtrack: basepeak=yes  
301. psi: basepeak=yes

NOTES  
Hyper-Threading Technology not enabled.