



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

IBM eServer xSeries 460 (2.83 GHz Intel Xeon MP)

SPECint2000 = 1275

SPECint_base2000 = 1249

SPEC license #: 11 | Tested by: IBM, Research Triangle Park, NC | Test date: Jul-2005 | Hardware Avail: May-2005 | Software Avail: Apr-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
164.gzip	1400	151	929	151	926	
175.vpr	1400	160	875	160	875	
176.gcc	1100	74.2	1483	74.2	1483	
181.mcf	1800	149	1207	149	1207	
186.crafty	1000	93.7	1067	93.5	1070	
197.parser	1800	159	1132	159	1132	
252.eon	1300	74.6	1743	73.8	1762	
253.perlbmk	1800	129	1396	111	1616	
254.gap	1100	82.0	1341	82.0	1341	
255.vortex	1900	95.1	1998	95.2	1997	
256.bzip2	1500	153	982	152	988	
300.twolf	3000	235	1275	215	1396	

Hardware

CPU: Intel Xeon MP (2.83 GHz Xeon, 1MB L2 Cache, 8MB L3 Cache, 667 MHz system bus)
CPU MHz: 2833
FPU: Integrated
CPU(s) enabled: 4 cores, 4 chips, 1 core/chip (Hyper-Threading Technology disabled)
CPU(s) orderable: 1
Parallel: No
Primary Cache: 12K(I) micro-ops + 16KB(D) on chip
Secondary Cache: 1024KB(I+D) on chip
L3 Cache: 8192KB(I+D) on chip
Other Cache: N/A
Memory: 8 x 2048 MB ECC DDR2 Dual Rank
Disk Subsystem: 36GB SAS 10k RPM
Other Hardware:

Software

Operating System: Windows Server 2003 Standard Edition
Compiler: Intel C/C++ Compiler 8.1 (20050409) for 32-bit applications
Intel Fortran Compiler 8.1 (20050405Z) for 32-bit applications
Microsoft Visual Studio .NET 13.0.9466 (for libraries)
MicroQuill Smartheap Library 7.30
File System: NTFS
System State: Default

Notes/Tuning Information

GENERAL

ONESTEP=yes
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

PORTABILITY FLAGS

176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbmk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

BASE TUNING

C: -fast -QxP -Qansi_alias +FDO
C++: -QxP -Qipo -Qcxx_features +FDO

PEAK TUNING

164.gzip: -fast -QxP -Qansi_alias -Oa +FDO
175.vpr: basepeak=yes
176.gcc: basepeak=yes
181.mcf: basepeak=yes
186.crafty: -fast -QxP -Oa +FDO shlW32M.lib
197.parser: basepeak=yes
252.eon: -fast -QxP +FDO
253.perlbmk: -fast -QxP -Qansi_alias +FDO shlW32M.lib



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

IBM eServer xSeries 460 (2.83 GHz Intel Xeon MP)

SPECint2000 = 1275

SPECint_base2000 = 1249

SPEC license #: 11 | Tested by: IBM, Research Triangle Park, NC | Test date: Jul-2005 | Hardware Avail: May-2005 | Software Avail: Apr-2005

Notes/Tuning Information (Continued)

```
254.gap:      basepeak=yes
255.vortex    -fast -QxP +FDO
256.bzip2:    -fast -QxP -Qunroll1 -Oa +FDO
300.twolf:    -fast -QxP +FDO shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib:  MicroQuill SmartHeap Library 7.3
              www.microquill.com
```