



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

## IBM Corporation

IBM eServer xSeries 336 (3.8 GHz Xeon, 2MB L2 Cache)

SPECint\_rate2000 = 42.9

SPECint\_rate\_base2000 = 42.5

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Aug-2005 | Hardware Avail: Sep-2005 | Software Avail: Jun-2005

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	4	172	37.7	4	170	38.3
175.vpr	4	238	27.3	4	226	28.7
176.gcc	4	87.8	58.1	4	87.8	58.1
181.mcf	4	348	24.0	4	347	24.1
186.crafty	4	142	32.8	4	139	33.4
197.parser	4	197	42.3	4	197	42.4
252.eon	4	110	54.8	4	110	54.8
253.perlbnk	4	173	48.2	4	171	48.9
254.gap	4	111	45.8	4	109	46.8
255.vortex	4	121	72.9	4	121	72.8
256.bzip2	4	193	36.1	4	193	36.1
300.twolf	4	258	54.0	4	256	54.3

### Hardware

CPU: Intel Xeon 3.8 GHz (800 MHz system bus)  
CPU MHz: 3800  
FPU: Integrated  
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip (Hyper-Threading Technology enabled)  
CPU(s) orderable: 1  
Parallel: No  
Primary Cache: 12K(I) micro-ops + 16KB(D) on chip  
Secondary Cache: 2048KB(I+D) on chip  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 8 x 512 MB ECC PC2-3200 Single Rank  
Disk Subsystem: 73GB SCSI 15K RPM  
Other Hardware:

### Software

Operating System: Windows Server 2003 Standard Edition  
Compiler: Intel C/C++ Compiler 9.0 (20050624Z) for 32-bit applications  
Intel Fortran Compiler 9.0 (20050624Z) for 32-bit applications  
Microsoft Visual Studio .NET 13.0.9466 (for libraries)  
MicroQuill Smartheap Library 7.30  
File System: NTFS  
System State: Default

## Notes/Tuning Information

### GENERAL

ONESTEP=yes  
+FDO: PASS1=-Qprof\_gen PASS2=-Qprof\_use

### PORTABILITY FLAGS

176.gcc: -Dalloca=\_alloca /F10000000  
186.crafty: -DNT\_i386  
252.eon: srcalt=stdcpp  
253.perlbnk: -DSPEC\_CPU2000\_NTOS -DPERLDLL /MT  
254.gap: -DSYS\_HAS\_CALLOC\_PROTO -DSYS\_HAS\_MALLOC\_PROTO

### BASE TUNING

C: -fast -Qansi\_alias +FDO shlw32M.lib  
C++: -fast -Qcxx\_features +FDO

### PEAK TUNING

164.gzip: -fast +FDO  
175.vpr: -fast +FDO  
176.gcc: basepeak=yes  
181.mcf: -fast +FDO shlw32M.lib  
186.crafty: -fast -Oa +FDO shlw32M.lib  
197.parser: -fast +FDO  
252.eon: -fast +FDO



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

IBM eServer xSeries 336 (3.8 GHz Xeon, 2MB L2 Cache)

SPECint\_rate2000 = 42.9

SPECint\_rate\_base2000 = 42.5

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Aug-2005 | Hardware Avail: Sep-2005 | Software Avail: Jun-2005

## Notes/Tuning Information (Continued)

```
253.perlbnk: -fast -Oa +FDO shlw32M.lib
254.gap:      -fast +FDO
255.vortex   -fast +FDO shlw32M.lib
256.bzip2:   -fast -Qunroll11 -Oa +FDO shlw32M.lib
300.twolf:   -fast +FDO shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 7.1
              www.microquill.com
```