



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Dell

Precision Workstation 690 (Intel Xeon processor 5150, 2.66 GHz)

SPECfp_rate2000 = 41.8

SPECfp_rate_base2000 = 41.8

SPEC license #: 55 | Tested by: Dell, Inc., Round Rock, TX | Test date: Jun-2006 | Hardware Avail: Jun-2006 | Software Avail: May-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	2	63.6	58.3	2	63.6	58.3
171.swim	2	239	30.1	2	239	30.1
172.mgrid	2	178	23.4	2	178	23.4
173.applu	2	159	30.6	2	159	30.6
177.mesa	2	56.5	57.4	2	56.5	57.4
178.galgel	2	57.5	117	2	57.5	117
179.art	2	49.6	122	2	49.6	122
183.equake	2	81.6	37.0	2	81.6	37.0
187.facerec	2	84.6	52.1	2	84.6	52.1
188.amp	2	150	33.9	2	150	33.9
189.lucas	2	138	33.7	2	138	33.7
191.fma3d	2	156	31.2	2	156	31.2
200.sixtrack	2	105	24.3	2	105	24.3
301.apsi	2	208	28.9	2	208	28.9

Hardware

CPU: Intel Xeon processor 5150 (1333 MHz system bus)
CPU MHz: 2666
FPU: Integrated
CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 32KB(I) + 32KB(D) on chip, per core
Secondary Cache: 4096KB(I+D) on chip
L3 Cache: N/A
Other Cache: N/A
Memory: 8 x 1024MB 667MHz ECC CL5 FB-DIMM DDR2 SDRAM
Disk Subsystem: 1 x 73GB SAS 10K RPM
Other Hardware:

Software

Operating System: Windows XP Professional x64 Edition
Compiler: Intel C++ Compiler 9.1 for IA32(20060519Z)
Intel Fortran Compiler 9.1 for IA32(20060519Z)
Microsoft Visual Studio .NET 2003(7.1.3088)
MicroQuill SmartHeap Library 8.0
File System: NTFS
System State: Default

Notes/Tuning Information

GENERAL

ONESTEP=yes
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

PORTABILITY

178.galgel: -FI /F32000000

BASE TUNING

FORTRAN: -fast -Qansi_alias +FDO
177.mesa: -fast +FDO shlw32M.lib
179.art: -fast +FDO shlw32M.lib
183.equake: -fast +FDO shlw32M.lib
188.amp: -fast +FDO shlw32M.lib

PEAK TUNING

basepeak=yes