



# CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Fujitsu Siemens Computers  
PRIMERGY BX630, AMD Opteron (TM) 890

SPECfp\_rate2000 = 154  
SPECfp\_rate\_base2000 = 144

SPEC license #: 22 | Tested by: Fujitsu Siemens Computers | Test date: Nov-2006 | Hardware Avail: Dec-2006 | Software Avail: Jul-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	8	65.4	227	8	64.0	232
171.swim	8	240	120	8	239	120
172.mgrid	8	157	107	8	155	108
173.applu	8	131	148	8	119	164
177.mesa	8	67.1	194	8	61.5	211
178.galgel	8	116	232	8	112	241
179.art	8	140	173	8	95.8	252
183.equake	8	121	99.7	8	109	111
187.facerec	8	95.7	184	8	94.7	186
188.amp	8	144	142	8	137	149
189.lucas	8	152	122	8	149	124
191.fma3d	8	154	126	8	155	126
200.sixtrack	8	119	86.0	8	113	90.2
301.apsi	8	163	148	8	153	158

### Hardware

CPU: AMD Opteron (TM) 890 processor (2.80 GHz)  
CPU MHz: 2800  
FPU: Integrated  
CPU(s) enabled: 8 cores, 4 chips, 2 cores/chip  
CPU(s) orderable: 1,2,4 chips  
Parallel: No  
Primary Cache: 64KB(I) + 64KB(D) on chip, per core  
Secondary Cache: 1024KB (I+D) on chip, per core  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 16x2048MB DDR-RAM PC3200R  
Disk Subsystem: Seagate ST373454SS (SAS, 15.4krpm)  
Other Hardware: None

### Software

Operating System: SuSE Linux Enterprise Server 10 (x86\_64)  
SuSE Kernel 2.6.16.21-0.8-smp  
Compiler: PathScale EKOPath(TM) Compiler Suite, Release 2.2.1 (for C and Fortran)  
AMD Core Mathematical Library (ACML), Version 2.6.0  
File System: Linux/reiserfs  
System State: Multi-user run level 3

## Notes/Tuning Information

### GENERAL

+FDO: PASS1= -fb\_create fbdata PASS2= -fb\_opt fbdata  
+ACML: Linked with AMD Core Math Library

### Portability flags

178.galgel: -fixedform

### Base tuning flags

for Fortran programs: -Ofast -LNO:fusion=2 -OPT:fast\_complex=on +FDO  
for C programs: -Ofast -WOPT:mem\_opnds=on +FDO

### Peak tuning flags

168.wupwise: -Ofast -LNO:prefetch Ahead=5:prefetch=3  
-OPT:unroll\_times\_max=8:unroll\_size=128:IEEE\_NaN\_Inf=off:ro=3  
-IPA:linear=on:plimit=50000:callee\_limit=5000 -INLINE:aggressive=on  
171.swim: -Ofast -CG:local\_fwd\_sched=on -LNO:fusion=2 -m3dnow  
172.mgrid: -Ofast -CG:gcm=off -OPT:IEEE\_a=3:unroll\_size=200



# CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Fujitsu Siemens Computers  
PRIMERGY BX630, AMD Opteron (TM) 890

SPECfp\_rate2000 = 154  
SPECfp\_rate\_base2000 = 144

SPEC license #: 22 | Tested by: Fujitsu Siemens Computers | Test date: Nov-2006 | Hardware Avail: Dec-2006 | Software Avail: Jul-2006

## Notes/Tuning Information (Continued)

```

-LNO:fusion=2:fission=1:blocking=off:prefetch Ahead=2
-WOPT:mem_opnds=on:aggstr=0
173.applu: -Ofast -CG:local_fwd_sched=on -OPT:ro=3 -TENV:X=3
-LNO:fusion=2:fission=2:full_unroll_size=10000 +FDO
177.mesa: -O2 -ipa -OPT:Ofast -fno-math-errno -CG:local_fwd_sched=on
-WOPT:mem_opnds=on +FDO
178.galgel: -Ofast -OPT:fast_complex=on +ACML +FDO
179.art: -O3 -OPT:Ofast -fno-math-errno -mno-sse2 -m32
183.equake: -Ofast -CG:load_exe=2 -WOPT:mem_opnds=on -m32 +FDO
187.facerec: -Ofast -LNO:fusion=2
-OPT:fast_complex=on:IEEE_NaN_Inf=off:unroll_size=0 +FDO
188.ammp: -O3 -OPT:alias=disjoint:unroll_times_max=8:Ofast:ro=3
-fno-math-errno -TENV:X=4 +FDO
189.lucas: -Ofast -OPT:ro=3:fast_nint=off:unroll_size=256
-WOPT:mem_opnds=on +FDO
191.fma3d: -O2 -ipa -CG:load_exe=1 -OPT:Ofast:IEEE_arith=3:ro=3
-WOPT:mem_opnds=on:retype_expr=on -IPA:pu_reorder=1 +FDO
200.sixtrack: -O3 -OPT:Ofast:Olimit=6000:early_intrinsics=on
-fno-math-errno -CG:load_exe=1 +FDO
301.apsi: -Ofast -CG:load_exe=0 -LNO:prefetch=0:simd=2

```

MYMASK=`printf '0x%x' \\${(1<<\\$SPECUSERNUM)}`; /usr/bin/taskset \\$MYMASK \$command:  
Taskset utility used to bind process to CPU(s)

BIOS settings: Memory timing=1T  
DRAM Bank Interleave=AUTO

This result was measured with 64-bit binaries using the 64-bit version of the operating system.

For information about Fujitsu Siemens Computers in your country please see:  
<http://www.fujitsu-siemens.com/countries>