



CINT2000 Result

Copyright ©1999-2007, Standard Performance Evaluation Corporation

Bull

NovaScale B260 (Intel Xeon processor 5130, 2.0 GHz)

SPECint_rate2000 = 85.3

SPECint_rate_base2000 = 85.1

SPEC license #: 20 Tested by: Bull Test date: Dec-2006 Hardware Avail: Dec-2006 Software Avail: Dec-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	4	116	56.2	4	116	56.1
175.vpr	4	106	61.1	4	105	61.9
176.gcc	4	51.5	99.0	4	51.5	99.0
181.mcf	4	116	72.0	4	116	72.0
186.crafty	4	54.9	84.6	4	54.9	84.6
197.parser	4	117	71.2	4	117	71.4
252.eon	4	49.8	121	4	49.8	121
253.perlbnk	4	76.9	109	4	76.9	109
254.gap	4	66.3	77.0	4	65.7	77.7
255.vortex	4	61.3	144	4	61.3	144
256.bzip2	4	111	62.6	4	111	62.6
300.twolf	4	129	108	4	129	108

Hardware

CPU: Intel Xeon Processor 5130 (2.0 GHz, 4MB L2, 1333MHz bus)
CPU MHz: 2000
FPU: Integrated
CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip
CPU(s) orderable: 1 to 2 chips
Parallel: No
Primary Cache: 32KB(I) + 32KB(D) on chip, per core
Secondary Cache: 4096KB(I+D) on chip per chip (shared by 2 cores)
L3 Cache: N/A
Other Cache: N/A
Memory: 8GB (2GB DIMMx4, FB-DIMM PC2-5300F ECC CL5)
Disk Subsystem: 1x73GB SAS 10000 rpm
Other Hardware:

Software

Operating System: Windows Server 2003 Enterprise Edition (32 bits), Service Pack 1
Compiler: Intel(R) C++ Compiler for 32-bit app., Version 9.1, - Build 20061103Z Package ID: W_CC_C_9.1.033
Microsoft Visual Studio .NET 2003 (for libraries)
MicroQuill SmartHeap Library 8.0 (shlW32M.lib)
File System: NTFS
System State: Default

Notes/Tuning Information

Portability flags:

```
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
```

Feedback optimization:

```
+FDO: PASS1= -Qprof_gen PASS2= -Qprof_use
```

Baseline Tuning Flags:

```
for C programs:
-fast +FDO ONESTEP=yes shlW32M.lib
for C++ program 252.eon:
-fast -Qcxx_features +FDO ONESTEP=yes
```

Peak Tuning Flags:

```
164.gzip: -fast +FDO ONESTEP=yes
175.vpr: -fast +FDO ONESTEP=yes
176.gcc: basepeak=yes
181.mcf: basepeak=yes
```



CINT2000 Result

Copyright ©1999-2007, Standard Performance Evaluation Corporation

Bull

NovaScale B260 (Intel Xeon processor 5130, 2.0 GHz)

SPECint_rate2000 = 85.3

SPECint_rate_base2000 = 85.1

SPEC license #: 20 | Tested by: Bull | Test date: Dec-2006 | Hardware Avail: Dec-2006 | Software Avail: Dec-2006

Notes/Tuning Information (Continued)

186.crafty: basepeak=yes
197.parser: -fast +FDO ONESTEP=yes
252.eon: basepeak=yes
253.perlbnk: basepeak=yes
254.gap: -fast +FDO ONESTEP=yes
255.vortex: basepeak=yes
256.bzip2: basepeak=yes
300.twolf: basepeak=yes

Other Configuration Notes

For information about Bull please see:
<http://www.bull.com>