



# SPEChpc™ 2021 Small Result

Copyright 2021-2023 Standard Performance Evaluation Corporation

## Lenovo Global Technology


SPEChpc 2021\_sml\_base = 0.7349

## ThinkSystem SR655 V3 (AMD EPYC 9654P)

SPEChpc 2021\_sml\_peak = 0.7349

hpc2021 License: 28  
Test Sponsor: Lenovo Global Technology  
Tested by: Lenovo Global Technology

Test Date: Jan-2023  
Hardware Availability: Feb-2023  
Software Availability: Feb-2023



## Results Table

Benchmark	Base								Peak									
	Model	Ranks	Thrds/Rnk	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Model	Ranks	Thrds/Rnk	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
605.lbm_s	OMP	12	16	1903	0.815	<b>1901</b>	<b>0.815</b>	1827	0.849	OMP	12	16	1903	0.815	<b>1901</b>	<b>0.815</b>	1827	0.849
613.soma_s	OMP	12	16	943	1.70	974	1.64	<b>961</b>	<b>1.67</b>	OMP	12	16	943	1.70	974	1.64	<b>961</b>	<b>1.67</b>
618.tealeaf_s	OMP	12	16	<b>6175</b>	<b>0.332</b>	6178	0.332	6175	0.332	OMP	12	16	<b>6175</b>	<b>0.332</b>	6178	0.332	6175	0.332
619.clvleaf_s	OMP	12	16	4785	0.345	4761	0.347	<b>4762</b>	<b>0.347</b>	OMP	12	16	4785	0.345	4761	0.347	<b>4762</b>	<b>0.347</b>
621.miniswp_s	OMP	12	16	<b>485</b>	<b>2.27</b>	487	2.26	485	2.27	OMP	12	16	<b>485</b>	<b>2.27</b>	487	2.26	485	2.27
628.pot3d_s	OMP	12	16	5196	0.322	<b>5190</b>	<b>0.323</b>	5189	0.323	OMP	12	16	5196	0.322	<b>5190</b>	<b>0.323</b>	5189	0.323
632.sph_exa_s	OMP	12	16	1450	1.59	<b>1445</b>	<b>1.59</b>	1445	1.59	OMP	12	16	1450	1.59	<b>1445</b>	<b>1.59</b>	1445	1.59
634.hpgmgfv_s	OMP	12	16	<b>2224</b>	<b>0.438</b>	2217	0.440	2240	0.435	OMP	12	16	<b>2224</b>	<b>0.438</b>	2217	0.440	2240	0.435
635.weather_s	OMP	12	16	<b>3316</b>	<b>0.784</b>	3313	0.785	3320	0.783	OMP	12	16	<b>3316</b>	<b>0.784</b>	3313	0.785	3320	0.783

SPEChpc 2021\_sml\_base = 0.7349

SPEChpc 2021\_sml\_peak = 0.7349

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.



# SPEChpc™ 2021 Small Result

Copyright 2021-2023 Standard Performance Evaluation Corporation

## Lenovo Global Technology

SPEChpc 2021\_sml\_base = 0.7349

## ThinkSystem SR655 V3 (AMD EPYC 9654P)

SPEChpc 2021\_sml\_peak = 0.7349

**hpc2021 License:** 28  
**Test Sponsor:** Lenovo Global Technology  
**Tested by:** Lenovo Global Technology

**Test Date:** Jan-2023  
**Hardware Availability:** Feb-2023  
**Software Availability:** Feb-2023

### Hardware Summary

Type of System: Homogeneous Cluster  
Compute Node: ThinkSystem SR655 V3  
Interconnect: Nvidia Mellanox ConnectX-6 HDR  
Compute Nodes Used: 1  
Total Chips: 1  
Total Cores: 96  
Total Threads: 192  
Total Memory: 768 GB  
Max. Peak Threads: 16

### Software Summary

Compiler: Intel oneAPI Compiler 2022.1.0  
MPI Library: Intel MPI Library for Linux OS, Build 20220227  
Other MPI Info: --  
Other Software: --  
Base Parallel Model: OMP  
Base Ranks Run: 12  
Base Threads Run: 16  
Peak Parallel Models: OMP  
Minimum Peak Ranks: 12  
Maximum Peak Ranks: 12  
Max. Peak Threads: 16  
Min. Peak Threads: 16

## Node Description: ThinkSystem SR655 V3

### Hardware

Number of nodes: 1  
Uses of the node: Compute  
Vendor: Lenovo Global Technology  
Model: ThinkSystem SR655 V3  
CPU Name: AMD EPYC 9654P  
CPU(s) orderable: 1 chips  
Chips enabled: 1  
Cores enabled: 96  
Cores per chip: 96  
Threads per core: 2  
CPU Characteristics: Max Boost Clock up to 3.7 GHz  
CPU MHz: 2400  
Primary Cache: 32 KB I + 32 KB D on chip per core  
Secondary Cache: 1 MB I+D on chip per core  
L3 Cache: 384 MB I+D on chip per chip  
32 MB shared / 8 cores  
Other Cache: None  
Memory: 768 GB (12 x 64 GB 2Rx4 PC5-4800B-R)  
Disk Subsystem: 1x ThinkSystem 2.5" 5300 480GB SSD  
Other Hardware: None  
Accel Count: --  
Accel Model: --  
Accel Vendor: --  
Accel Type: --  
Accel Connection: --  
Accel ECC enabled: --  
Accel Description: --  
Adapter: Nvidia Mellanox ConnectX-6 HDR  
Number of Adapters: 1  
Slot Type: PCI-Express 4.0 x16  
Data Rate: 200 Gb/s  
Ports Used: 1

### Software

Accelerator Driver: --  
Adapter: Nvidia Mellanox ConnectX-6 HDR  
Adapter Driver: 5.7-1.0.2  
Adapter Firmware: 20.28.1002  
Operating System: Red Hat Enterprise Linux Server release 8.6,  
Kernel 4.18.0-372.9.1.el8.x86\_64  
Local File System: xfs  
Shared File System: None  
System State: Multi-user, run level 3  
Other Software: None

(Continued on next page)



# SPEChpc™ 2021 Small Result

Copyright 2021-2023 Standard Performance Evaluation Corporation

## Lenovo Global Technology

SPEChpc 2021\_sml\_base = 0.7349

## ThinkSystem SR655 V3 (AMD EPYC 9654P)

SPEChpc 2021\_sml\_peak = 0.7349

**hpc2021 License:** 28  
**Test Sponsor:** Lenovo Global Technology  
**Tested by:** Lenovo Global Technology

**Test Date:** Jan-2023  
**Hardware Availability:** Feb-2023  
**Software Availability:** Feb-2023

### Node Description: ThinkSystem SR655 V3

#### Hardware (Continued)

Interconnect Type: ConnectX-6 HDR

### Interconnect Description: Nvidia Mellanox ConnectX-6 HDR

#### Hardware

Vendor: Nvidia  
Model: Nvidia Mellanox ConnectX-6 HDR  
Switch Model: QM8700  
Number of Switches: 1  
Number of Ports: 40  
Data Rate: 200 Gb/s  
Firmware: 3.9.0606  
Topology: Mesh  
Primary Use: MPI Traffic, NFS Access

#### Software

: --

### Submit Notes

The config file option 'submit' was used.

```
submit = mpiexec -hostfile ${top}/6nodes -np ranks -genv OMP_NUM_THREADS=$threads -ppn % {NRNK} $command
```

### Compiler Version Notes

```
=====
FC 619.clvleaf_s(base) 628.pot3d_s(base) 635.weather_s(base)
-----
```

Intel(R) Fortran Compiler for applications running on Intel(R) 64, Version 2022.1.0 Build 20220316

Copyright (C) 1985-2022 Intel Corporation. All rights reserved.

ifx: command line error: no files specified; for help type "ifx -help"

```
=====
CC 605.lbm_s(base) 613.soma_s(base) 618.tealeaf_s(base) 621.miniswp_s(base)
634.hpgmgfv_s(base)
-----
```

Intel(R) oneAPI DPC++/C++ Compiler for applications running on Intel(R) 64, Version 2022.1.0 Build 20220316

Copyright (C) 1985-2022 Intel Corporation. All rights reserved.

clang: warning: -Z-reserved-lib-stdc++: 'linker' input unused

[-Wunused-command-line-argument]

(Continued on next page)



# SPEChpc™ 2021 Small Result

Copyright 2021-2023 Standard Performance Evaluation Corporation

Lenovo Global Technology

SPEChpc 2021\_sml\_base = 0.7349

ThinkSystem SR655 V3 (AMD EPYC 9654P)

SPEChpc 2021\_sml\_peak = 0.7349

**hpc2021 License:** 28  
**Test Sponsor:** Lenovo Global Technology  
**Tested by:** Lenovo Global Technology

**Test Date:** Jan-2023  
**Hardware Availability:** Feb-2023  
**Software Availability:** Feb-2023

## Compiler Version Notes (Continued)

=====  
CXXC 632.sph\_exa\_s(base)  
=====

Intel(R) oneAPI DPC++/C++ Compiler for applications running on Intel(R) 64,  
Version 2022.1.0 Build 20220316  
Copyright (C) 1985-2022 Intel Corporation. All rights reserved.  
clang: warning: -Z-reserved-lib-stdc++: 'linker' input unused  
[-Wunused-command-line-argument]  
=====

## Base Compiler Invocation

C benchmarks:  
mpiicc -cc=icx  
  
C++ benchmarks:  
mpiicpc -cxx=icx  
  
Fortran benchmarks:  
mpiifort -fc=ifx

## Base Portability Flags

605.lbm\_s: -lstdc++  
613.soma\_s: -lstdc++ -DSPEC\_NO\_VAR\_ARRAY\_REDUCE  
618.tealeaf\_s: -lstdc++  
619.clvleaf\_s: -lstdc++  
621.miniswp\_s: -lstdc++  
628.pot3d\_s: -lstdc++  
632.sph\_exa\_s: -lstdc++  
634.hpgmgfv\_s: -lstdc++  
635.weather\_s: -lstdc++

## Base Optimization Flags

C benchmarks:  
-Ofast -mprefer-vector-width=512 -march=core-avx2 -ipo -fiopenmp  
-ansi-alias  
  
C++ benchmarks:  
-Ofast -mprefer-vector-width=512 -march=core-avx2 -ipo -fiopenmp

(Continued on next page)



# SPEChpc™ 2021 Small Result

Copyright 2021-2023 Standard Performance Evaluation Corporation

Lenovo Global Technology

SPEChpc 2021\_sml\_base = 0.7349

ThinkSystem SR655 V3 (AMD EPYC 9654P)

SPEChpc 2021\_sml\_peak = 0.7349

**hpc2021 License:** 28  
**Test Sponsor:** Lenovo Global Technology  
**Tested by:** Lenovo Global Technology

**Test Date:** Jan-2023  
**Hardware Availability:** Feb-2023  
**Software Availability:** Feb-2023

## Base Optimization Flags (Continued)

C++ benchmarks (continued):

-ansi-alias

Fortran benchmarks:

-Ofast -mprefer-vector-width=512 -march=core-avx2 -ipo -fiopenmp  
-nostandard-realloc-lhs -align array64byte

## Base Other Flags

C benchmarks:

-Ispecmpitime

C++ benchmarks:

-Ispecmpitime

Fortran benchmarks:

619.clvleaf\_s: -Ispecmpitime

## Peak Optimization Flags

C benchmarks:

605.lbm\_s: basepeak = yes

613.soma\_s: basepeak = yes

618.tealeaf\_s: basepeak = yes

621.miniswp\_s: basepeak = yes

634.hpgmgfv\_s: basepeak = yes

C++ benchmarks:

632.sph\_exa\_s: basepeak = yes

Fortran benchmarks:

619.clvleaf\_s: basepeak = yes

(Continued on next page)



# SPEChpc™ 2021 Small Result

Copyright 2021-2023 Standard Performance Evaluation Corporation

Lenovo Global Technology

SPEChpc 2021\_sml\_base = 0.7349

ThinkSystem SR655 V3 (AMD EPYC 9654P)

SPEChpc 2021\_sml\_peak = 0.7349

**hpc2021 License:** 28  
**Test Sponsor:** Lenovo Global Technology  
**Tested by:** Lenovo Global Technology

**Test Date:** Jan-2023  
**Hardware Availability:** Feb-2023  
**Software Availability:** Feb-2023

## Peak Optimization Flags (Continued)

628.pot3d\_s: basepeak = yes

635.weather\_s: basepeak = yes

The flags file that was used to format this result can be browsed at

[http://www.spec.org/hpc2021/flags/Intel\\_compiler\\_flags.2022-11-10.html](http://www.spec.org/hpc2021/flags/Intel_compiler_flags.2022-11-10.html)

You can also download the XML flags source by saving the following link:

[http://www.spec.org/hpc2021/flags/Intel\\_compiler\\_flags.2022-11-10.xml](http://www.spec.org/hpc2021/flags/Intel_compiler_flags.2022-11-10.xml)

SPEChpc is a trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester. For other inquiries, please contact [info@spec.org](mailto:info@spec.org).

Tested with SPEChpc2021 v1.1.7 on 2018-06-24 13:00:30-0400.  
Report generated on 2023-02-22 12:25:43 by hpc2021 PDF formatter v1.0.3.  
Originally published on 2023-02-22.