



# SPEC® OMPG2012 Result

Copyright 2012-2021 Standard Performance Evaluation Corporation

## Intel

Intel Server System M70KLP (Intel Xeon Platinum 8360Y, 2.40 GHz)

SPECompG\_peak2012 = 39.0

SPECompG\_base2012 = 32.4

OMP2012 license:13


Test sponsor: Intel

Tested by: Intel

Test date: Apr-2021

Hardware Availability: Mar-2021

Software Availability: Mar-2021



SPECompG\_base2012 = 32.4

SPECompG\_peak2012 = 39.0

### Hardware

CPU Name: Intel Xeon Platinum 8360Y  
 CPU Characteristics: Intel Turbo Boost Technology : Disabled  
 CPU MHz: 2400  
 CPU MHz Maximum: 3500  
 FPU: Integrated  
 CPU(s) enabled: 72 cores, 2 chips, 36 cores/chip, 2 threads/core  
 CPU(s) orderable: 1,2 Chips  
 Primary Cache: 32 KB I + 48 KB D on chip per core  
 Secondary Cache: 1.25 MB I+D on chip per core  
 L3 Cache: 54 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 256 GB (16 x 16 GB 2Rx8 DDR4-3200Y-R)  
 Disk Subsystem: SSDSC2KG96 960GB  
 Other Hardware: --  
 Base Threads Run: 144  
 Minimum Peak Threads: 72

Continued on next page

### Software

Operating System: CentOS Linux release 8.3.2011 (Core)  
 Compiler: C/C++/Fortran: Version 2021.2.0.2883 of Intel Composer XE for Linux  
 Auto Parallel: No  
 File System: Linux ext3  
 System State: Run Level 3 (multi-user)  
 Base Pointers: 64-bit  
 Peak Pointers: 64-bit  
 Other Software: None



# SPEC OMPG2012 Result

Copyright 2012-2021 Standard Performance Evaluation Corporation

## Intel

Intel Server System M70KLP (Intel Xeon Platinum 8360Y, 2.40 GHz)

SPECompG\_peak2012 = 39.0

SPECompG\_base2012 = 32.4

OMP2012 license:13

Test sponsor: Intel

Tested by: Intel

Test date: Apr-2021

Hardware Availability: Mar-2021

Software Availability: Mar-2021

Maximum Peak Threads: 144

## Results Table

Benchmark	Base							Peak						
	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
350.md	144	20.3	228	20.3	228	<b><u>20.3</u></b>	<b><u>228</u></b>	144	20.3	228	<b><u>20.3</u></b>	<b><u>228</u></b>	20.4	227
351.bwaves	144	159	28.5	161	28.2	<b><u>159</u></b>	<b><u>28.5</u></b>	72	158	28.7	<b><u>157</u></b>	<b><u>28.8</u></b>	157	28.8
352.nab	144	145	26.9	145	26.9	<b><u>145</u></b>	<b><u>26.9</u></b>	144	<b><u>123</u></b>	<b><u>31.7</u></b>	122	31.8	123	31.6
357.bt331	144	115	41.2	114	41.5	<b><u>115</u></b>	<b><u>41.2</u></b>	144	<b><u>112</u></b>	<b><u>42.2</u></b>	113	42.1	111	42.6
358.botsalgn	144	207	21.1	207	21.1	<b><u>207</u></b>	<b><u>21.1</u></b>	144	193	22.5	193	22.5	<b><u>193</u></b>	<b><u>22.5</u></b>
359.botsspar	144	328	16.0	327	16.1	<b><u>327</u></b>	<b><u>16.0</u></b>	72	38.1	138	<b><u>38.1</u></b>	<b><u>138</u></b>	37.9	138
360.ilbdc	144	176	20.2	176	20.3	<b><u>176</u></b>	<b><u>20.2</u></b>	144	<b><u>172</u></b>	<b><u>20.7</u></b>	172	20.7	172	20.7
362.fma3d	144	230	16.5	<b><u>228</u></b>	<b><u>16.7</u></b>	224	17.0	144	<b><u>222</u></b>	<b><u>17.1</u></b>	222	17.1	219	17.3
363.swim	144	<b><u>198</u></b>	<b><u>22.9</u></b>	197	22.9	198	22.9	72	198	22.9	199	22.8	<b><u>198</u></b>	<b><u>22.9</u></b>
367.imagick	144	122	57.4	121	58.1	<b><u>122</u></b>	<b><u>57.8</u></b>	72	126	55.7	<b><u>126</u></b>	<b><u>55.6</u></b>	127	55.2
370.mgrid331	144	230	19.2	229	19.3	<b><u>230</u></b>	<b><u>19.2</u></b>	72	<b><u>205</u></b>	<b><u>21.5</u></b>	206	21.5	205	21.6
371.applu331	144	99.5	60.9	<b><u>99.9</u></b>	<b><u>60.7</u></b>	109	55.4	144	<b><u>98.9</u></b>	<b><u>61.3</u></b>	101	59.8	98.6	61.5
372.smithwa	144	105	51.1	105	51.1	<b><u>105</u></b>	<b><u>51.1</u></b>	144	106	50.8	105	51.0	<b><u>105</u></b>	<b><u>51.0</u></b>
376.kdtree	144	204	22.1	<b><u>203</u></b>	<b><u>22.1</u></b>	203	22.1	144	201	22.4	<b><u>201</u></b>	<b><u>22.4</u></b>	201	22.3

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Platform Notes

Sysinfo program /global/panfs02/innl/aknyazel/OMP2012/1.1/Docs/sysinfo  
Revision 563 of 2016-06-10 (097295389cf6073d8c3b03fa376740a5)  
running on eij379 Sun Apr 18 10:12:35 2021

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/omp2012/Docs/config.html#sysinfo>

From /proc/cpuinfo

```
model name : Intel(R) Xeon(R) Platinum 8360Y CPU @ 2.40GHz
 2 "physical id"s (chips)
 144 "processors"
```

cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

```
cpu cores : 36
siblings  : 72
physical 0: cores 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
            22 23 24 25 26 27 28 29 30 31 32 33 34 35
physical 1: cores 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
            22 23 24 25 26 27 28 29 30 31 32 33 34 35
```

```
cache size : 55296 KB
```

Continued on next page



# SPEC OMPG2012 Result

Copyright 2012-2021 Standard Performance Evaluation Corporation

## Intel

Intel Server System M70KLP (Intel Xeon Platinum 8360Y, 2.40 GHz)

SPECompG\_peak2012 = 39.0

SPECompG\_base2012 = 32.4

OMP2012 license:13

Test sponsor: Intel

Tested by: Intel

Test date: Apr-2021

Hardware Availability: Mar-2021

Software Availability: Mar-2021

### Platform Notes (Continued)

From /proc/meminfo

MemTotal: 263785224 kB  
HugePages\_Total: 0  
Hugepagesize: 2048 kB

From /etc/\*release\* /etc/\*version\*

centos-release: CentOS Linux release 8.3.2011  
centos-release-upstream: Derived from Red Hat Enterprise Linux 8.3  
os-release:  
NAME="CentOS Linux"  
VERSION="8"  
ID="centos"  
ID\_LIKE="rhel fedora"  
VERSION\_ID="8"  
PLATFORM\_ID="platform:el8"  
PRETTY\_NAME="CentOS Linux 8"  
ANSI\_COLOR="0;31"  
redhat-release: CentOS Linux release 8.3.2011  
system-release: CentOS Linux release 8.3.2011  
system-release-cpe: cpe:/o:centos:centos:8

uname -a:

Linux eij379 4.18.0-240.22.1.el8\_3.crt1.x86\_64 #1 SMP Thu Apr 8 10:38:43 MDT 2021 x86\_64 x86\_64 x86\_64 GNU/Linux

run-level 3 Apr 15 17:10

SPEC is set to: /global/panfs02/innl/aknyazel/OMP2012/1.1

Filesystem	Type	Size	Used	Avail	Use%	Mounted on
panfs://36.101.212.1/innl	panfs	269T	210T	59T	79%	/global/panfs02/innl

Additional information from dmidecode:

Warning: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

### General Notes

=====  
General base OMP Library Settings  
ENV\_KMP\_AFFINITY=compact,0,verbose

=====  
General peak OMP Library Settings  
ENV\_KMP\_AFFINITY=compact,0,verbose

Continued on next page



# SPEC OMPG2012 Result

Copyright 2012-2021 Standard Performance Evaluation Corporation

## Intel

Intel Server System M70KLP (Intel Xeon Platinum 8360Y, 2.40 GHz)

SPECompG\_peak2012 = 39.0

SPECompG\_base2012 = 32.4

OMP2012 license:13

Test sponsor: Intel

Tested by: Intel

Test date: Apr-2021

Hardware Availability: Mar-2021

Software Availability: Mar-2021

## General Notes (Continued)

Per benchmark peak OMP Library Settings

System settings notes:

Intel Turbo Boost Technology (Turbo) : Disabled

General OMP Library Settings

KMP\_LIBRARY=turnaround  
KMP\_STACKSIZE=292M  
KMP\_BLOCKTIME=infinite  
OMP\_DYNAMIC=FALSE  
OMP\_NESTED=FALSE  
OMP\_SCHEDULE=static

Spectre and Meltdown

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5754 (Meltdown) is mitigated in the system as tested and documented.

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5753 (Spectre variant 1) is mitigated in the system as tested and documented.

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5715 (Spectre variant 2) is mitigated in the system as tested and documented.

351.bwaves:peak:

ENV\_KMP\_AFFINITY=compact,1,verbose

359.botsspar:peak:

ENV\_KMP\_AFFINITY=compact,1,verbose

363.swim:peak:

ENV\_KMP\_AFFINITY=compact,1,verbose

367.imagick:peak:

ENV\_KMP\_AFFINITY=compact,1,verbose

370.mgrid331:peak:

ENV\_KMP\_AFFINITY=compact,1,verbose

370.mgrid331:peak:

Compiler: Fortran: Version 19.0.3.199 of Intel Composer XE for Linux

## Base Compiler Invocation

C benchmarks:

icc

Continued on next page



# SPEC OMPG2012 Result

Copyright 2012-2021 Standard Performance Evaluation Corporation

**Intel**

Intel Server System M70KLP (Intel Xeon Platinum 8360Y, 2.40 GHz)

**SPECompG\_peak2012 = 39.0**

**SPECompG\_base2012 = 32.4**

**OMP2012 license:**13

**Test sponsor:** Intel

**Tested by:** Intel

**Test date:** Apr-2021

**Hardware Availability:** Mar-2021

**Software Availability:** Mar-2021

## Base Compiler Invocation (Continued)

C++ benchmarks:  
icpc

Fortran benchmarks:  
ifort

## Base Portability Flags

350.md: -FR  
357.bt331: -mmodel=medium  
363.swim: -mmodel=medium  
367.imagick: -std=c99

## Base Optimization Flags

C benchmarks:  
-O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2  
-ansi-alias -no-prec-div -no-prec-sqrt -ipo -qopt-prefetch=0 -ipo

C++ benchmarks:  
-O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2  
-ansi-alias -no-prec-div -no-prec-sqrt -ipo -qopt-prefetch=0 -ipo

Fortran benchmarks:  
-O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2  
-ansi-alias -no-prec-div -no-prec-sqrt -ipo -qopt-prefetch=0 -ipo  
-align all

## Peak Compiler Invocation

C benchmarks (except as noted below):  
icx

367.imagick: icc

372.smithwa: icc

C++ benchmarks:  
icpx

Fortran benchmarks (except as noted below):  
ifort

Continued on next page



# SPEC OMPG2012 Result

Copyright 2012-2021 Standard Performance Evaluation Corporation

## Intel

Intel Server System M70KLP (Intel Xeon Platinum 8360Y, 2.40 GHz)

SPECompG\_peak2012 = 39.0

SPECompG\_base2012 = 32.4

OMP2012 license:13

Test sponsor: Intel

Tested by: Intel

Test date: Apr-2021

Hardware Availability: Mar-2021

Software Availability: Mar-2021

## Peak Compiler Invocation (Continued)

370.mgrid331: ifx

371.aplu331: /opt/intel/compiler/2019u3/bin/ifort

## Peak Portability Flags

350.md: -FR  
357.bt331: -mcmmodel=medium  
363.swim: -mcmmodel=medium  
367.imagick: -std=c99

## Peak Optimization Flags

C benchmarks:

352.nab: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fno-alias -ipo

358.botsalgn: Same as 352.nab

359.botsspar: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fno-alias

367.imagick: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2 -fno-alias -no-prec-div -no-prec-sqrt -ipo

372.smithwa: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2 -fno-alias -no-prec-div -no-prec-sqrt -ipo -qopt-prefetch=0 -ipo

C++ benchmarks:

-O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fno-alias -ipo

Fortran benchmarks:

350.md: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2 -fno-alias -no-prec-div -no-prec-sqrt -ipo -qopt-prefetch=0 -ipo -align all

351.bwaves: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2 -fno-alias -no-prec-div -no-prec-sqrt -qopt-prefetch=2 -ipo -align all

357.bt331: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fp-model fast=2 -fno-alias -no-prec-div -no-prec-sqrt -qopt-prefetch=1 -ipo -align all

Continued on next page



# SPEC OMPG2012 Result

Copyright 2012-2021 Standard Performance Evaluation Corporation

## Intel

Intel Server System M70KLP (Intel Xeon Platinum 8360Y, 2.40 GHz)

SPECompG\_peak2012 = 39.0

SPECompG\_base2012 = 32.4

OMP2012 license:13

Test sponsor: Intel

Tested by: Intel

Test date: Apr-2021

Hardware Availability: Mar-2021

Software Availability: Mar-2021

## Peak Optimization Flags (Continued)

360.ilbdc: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high  
-fp-model fast=2 -fno-alias -no-prec-div -no-prec-sqrt  
-qopt-prefetch=4 -ipo -align all

362.fma3d: Same as 350.md

363.swim: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high  
-fp-model fast=2 -no-prec-div -no-prec-sqrt -fno-alias  
-qopt-malloc-options=3 -qopt-prefetch=0 -ipo -align all

370.mgrid331: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high -fno-alias  
-ipo -align all

371.aplu331: -O3 -qopenmp -xCORE-AVX512 -qopt-zmm-usage=high  
-fp-model fast=2 -fno-alias -no-prec-div -no-prec-sqrt  
-qopt-prefetch=0 -align all

The flags file that was used to format this result can be browsed at

<http://www.spec.org/omp2012/flags/Intel-ic19-linux64.20210507.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/omp2012/flags/Intel-ic19-linux64.20210507.xml>

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC OMP2012 v1.1.  
Report generated on Thu May 6 20:05:43 2021 by SPEC OMP2012 PS/PDF formatter v541.  
Originally published on 6 May 2021.